

Retail Food Inspection Report

Floyd County Health Department
Telephone (812) 948-4726

Establishment Name POPEYE'S LOUISIANA KITCHEN	Telephone Number Est (812) 920-0307 Own (502) 493-8858	Date of Inspection 04/30/2021	ID#
Address 2170 STATE ST, NEW ALBANY IN 47150			
Owner WILLIAM MANN	Purpose <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Pre-Operational <input type="checkbox"/> Temporary <input type="checkbox"/> HACCP <input type="checkbox"/> Other (list)	Follow Up 05/10/2021	Released 04/30/2021
Owner's Address 2509 PLANTSIDE DR LOUISVILLE, KY 40299-		Menu Type 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input checked="" type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/>	
Person in Charge CRYSTAL SLOAN			
Responsible Person's Email JAMES.N.R.ENGLISH@GMAIL.COM			
Certified Food Handler OMAR TOURE			

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected
199		X		Observed improper method used for the thawing of 18 cases of raw chicken. Chicken was left out of refrigeration for an undetermined amount of time. See code 199 for proper methods.	5-1-21
344	X			Observed item stored in handwashing sink near fryers.	Corrected
256		X		Observed no thermometer in prep cooler.	5-2-21
297		X		Observed build-up of debris in unit containing hot water that is used to heat hot bagged food items.	5-2-21
324		X		Observed drain pipe on ice machine and on walk in cooler to be broken.	5-10-21
234		X		Observed toilet in men's restroom to be clogged,	
426		X		Observed serving utensil stored in dipper well that did not have sufficient water velocity to remove food particles.	Corrected
392		X		Observed broken microwave in prep area that is no longer being used.	5-10-21
431		X		Repair or remove.	
394		X		Observed dumpster lid left open and attracting birds.	Today
118	X			Observed underside of shelf holding microwave to be in need of cleaning.	5-10-21
187	X			Observed grease spilled in landscaping outside near back door.	
		X		Observed scattered trash in dumpster corral.	5-10-21
		X		Observed person in charge not demonstrating proper food handler knowledge in regards to thawing procedure for frozen foods and food storage temperature.	5-10-221
		X		Measured 18 cases of raw chicken between 51-56 F.	Discarded

Summary of Violations C 3 NC 9 R 0

Received by (name and title printed):		Inspected by (name and title printed): Thomas Snider CFS	
Received by (signature):		Inspected by (signature): <i>Thomas Snider</i>	
cc:	cc:	cc:	